



PLAN VIEW




SECTION VIEW

ALL STRUCTURAL STEEL AND STEEL GRATING SHALL BE GALVANIZED AFTER SHOP FABRICATION IN ACCORDANCE WITH ASTM DESIGNATION A-385 & AASHTO M-111 AND SHALL NOT BE PAINTED. ALL STRUCTURAL STEEL SHALL BE AASHTO M183.



DETAIL 'A'

* 3/4" Ø x 4" GRANULAR OR SOLID FLUX FILLED HEADED STUDS CONFORMING TO ARTICLE 1006.32 OF THE STANDARD SPECS. AUTOMATICALLY END WELDED @ 12" ALT. CTS. (17 REQ'D PER ANGLE).



DETAIL 'B'

SCALE:

GENERAL NOTES

- 1. STRUCTURAL STEEL SHAPES AND PLATES SHALL BE IN ACCORDANCE WITH ARTICLE 1006.04 OF THE STANDARD SPECIFICATIONS. GALVANIZED STEEL PIPE SHALL BE IN ACCORDANCE WITH ARTICLE 1006.27 (b) OF THE STANDARD SPECIFICATIONS.
- BOLTS, NUTS AND WASHERS SHALL BE IN ACCORDANCE WITH ARTICLE 1006.27 (f) OF THE STANDARD SPECIFICATIONS. ALL FABRICATION SHALL BE COMPLETED AND READY FOR ASSEMBLY BEFORE GALVANIZED.
- 3. THE STEEL GRATING AND ALL ASSOCIATED HARDWARE, AS SPECIFIED ON THIS SHEET, WILL NOT BE PAID FOR SEPARATELY, BUT WILL BE INCLUDED IN THE COST OF "CONCRETE STRUCTURES" AND "REINFORCEMENT BARS."

HANSON

DESIGNED -REVISED -DRAWN REVISED CHECKED REVISED 08-08-08 REVISED

STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION

5th STREET ROAD LOGAN COUNTY, ILLINOIS PAGE 4 OF 5

GRATING DETAILS FOR DROP BOX TO STA.